



# CHEF'S GO-TO EQUIPMENT LIST

Our Culinary Team has identified their top equipment to help you increase efficiencies in the kitchen. It doesn't matter how much or how little you have in your budget, there are items on this list to help you save time and labor.

## PLANETARY MIXER

**Globe  
Model SP30**

Planetary Mixer, floor model, 31.7 qt. (30 liter) capacity, 3-speed (fixed), #12 attachment hub, includes: stainless steel removable bowl guard with built-in ingredient chute, 30 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel wire whip & aluminum flat beater, interlocked bowl lift, gear driven motor, front-mounted touchpad controls with 60-minute digital timer & last batch recall, thermal overload protection, non-slip rubber feet, cast iron body, 1 HP, 115v/60/1-ph, 16.0 amps, cord, NEMA 5-20P, NSF, cETLUS



## POCKET THERMOMETER

**Comark Instruments (Fluke)  
Model 300B (284538)**

Pocket Thermometer, digital, 5" stem, oval, temperature range -40° to 300°F (-20°C to 200°C), accuracy: ±2°F, thin tip, field calibratable, data hold (D-H) button, water resistant, includes protective rubber boot, carded, Biocote™ antimicrobial protection, NSF



## VEGETABLE PEELER

**TableCraft Products  
Model E5602  
Packed: 12 ea**

Cash & Carry FirmGrip® "Y" Peeler, 5-3/4" x 2-3/4" x 1-1/4", straight edge, dishwasher safe, ergonomic, soft grip handle, black (individually carded) (1 each minimum order)



## NESTING PAN RACK

**Winco  
Model ALZK-20BK (276053)**

Nesting Sheet Pan Rack, 22"L x 27-1/2"W x 70"H, (20) full-size 18" x 26" sheet pans capacity, 650 lb. capacity, 3" spacing, front loading, open sides, (4) casters (2 with brakes), aluminum, KD, NSF (QTY Break = 1 each)



## BUTTER SPREADER

**FMP  
Model 133-1754 (275793)**

Butter Roller, stainless steel



## COMBI OVEN, GAS

**RATIONAL  
Model ICC 10-FULL NG 208/240V 1 PH  
(LM200EG)**

(CE2GRRA.0000275 - NG - 208/240V) iCombi Classic® 10-Full Size Combi Oven, natural gas, (10) 18" x 26" sheet pan or (20) 12" x 20" steam pan or (10) 2/1 GN pan capacity, (5) stainless steel grids included, digital color display screen with push button control, (3) manual operating modes: steam, convection & combination, temperature range 85° to 572°F, (100) program slots, core temperature probe, retractable hand shower, 5-speed fan, (4) automatic cleaning programs, integrated care system, Ethernet interface, includes (1) bucket of Active Green Cleaner & (1) bucket of Care Tabs, 152,000 BTU, 208/240v/60/1-ph, 1.5 kW, IPXS, 6 ft. cord, cCSAus, NSF



---

**FOOD PROCESSOR, BENCHTOP / COUNTERTOP**  
**Robot Coupe**  
**Model R2UB (290174)**

Cutter/Mixer, 3 liter stainless steel bowl with handle & see-thru lid, "S" blade with smooth edges, on/off & pulse switch, single speed, 1725 RPM, 1 HP, 120v/60/1-ph, 7.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation



---

**FRUIT / VEGETABLE DICER**  
**Vollrath**  
**Model 55457**

InstaCut™ 5.1 Manual Food Processor, includes: T-handle, pusher block & 1/4" 1-piece dice serrated blade assembly, 5" square cutting area, accommodates containers up to 6"H, (2) year warranty on base unit (does not cover blades), NSF



---

**FRUIT / VEGETABLE SLICER, CUTTER, DICER PARTS & ACCESSORIES**  
**Vollrath**  
**Model 55475**

InstaCut™ 5.1 Replacement Blade Assembly, for 1/2" slice, NSF

---

**TOMATO SLICER**  
**Nemco Food Equipment**  
**Model 55600-1**

Easy Tomato Slicer™, manual, 7-1/4"W x 15-1/4"D x 8-1/4"H closed dimensions, 3/16" slice, stainless steel blades, self-lubricating track, vertical handle, protective guards, polyethylene slide board, cast aluminum & steel construction, rubber feet, NSF



---

**GAS FLOOR FRYER**  
**Pitco Frialator**  
**Model 40D**

Model 40D tube-fired gas fryer. Fryer shall have an atmospheric burner system combined with four stainless steel tubes utilizing high temperature alloy stainless steel baffles. Fryer shall have a deep cool zone; minimum 20% of total capacity. Fryer cooking area shall be 14" x 14" (35.6 x 35.6 cm) with a cooking depth of 4 - 6" (10.2 - 15.2 cm). Heat transfer area shall be a minimum of 575 square inches (3,709 sq cm).

---

**CONVECTION STEAMER, COUNTERTOP**  
**Vulcan**  
**Model C24EA3-LWE**

Convection Steamer, countertop, electric, 1 compartment, 24" wide, (3) 12" x 20" x 2-1/2" pans capacity, low water energy smart steam control, high output stainless steel steam generator with Smart Drain System (timed drain) & Powerflush, staged water fill, professional controls with 60-minute timer, buzzer & constant steam feature, cook/ready lights & power switch, split water line, stainless steel interior & exterior, leveling feet, UL EPH Classified, cULus Listed, ENERGY STAR®



---

**PARING KNIFE**  
**Dexter Russell**  
**Model V105SC-PCP (250240)**  
**Packed: 12 ea**

V-Lo® (29483) Paring Knife, 3-1/2", scalloped edge, DEXSTEEL™ stain-free, high-carbon steel, soft-to-the-touch handle, Perfect Cutlery Packaging, NSF Certified, Made in USA



---

**BREAD / SANDWICH KNIFE**  
**Dexter Russell**  
**Model V163-9SC-PCP (250270)**  
**Packed: 6 ea**

V-Lo® (29323) Sandwich Knife, 9", offset, scalloped edge, DEXSTEEL™ stain-free, high-carbon steel, soft-to-the-touch handle, Perfect Cutlery Packaging, NSF Certified, Made in USA



---

**CHEF KNIFE**  
**Dexter Russell**  
**Model S145-10C-PCP (251640)**  
**Packed: 6 ea**

Sani-Safe® (12433C)  
Chef's/Cook's Knife, 10", stain-free, high-carbon steel, textured, polypropylene blue handle, Perfect Cutlery Packaging, NSF Certified



---

**BREAD / SANDWICH KNIFE**  
**Dexter Russell**  
**Model S162-8SC-PCP (253346)**  
**Packed: 6 ea**

Sani-Safe® (13313) Bread Knife, 8", scalloped edge, stain-free, high-carbon steel, textured, polypropylene white handle, Perfect Cutlery Packaging, NSF Certified



---

**PARING KNIFE**  
**Dexter Russell**  
**Model S104-3PCP (253560)**  
**Packed: 8 pk**

Sani-Safe® (15383) Cook's Style Paring Knife, 3-1/4", stain-free, high-carbon steel, non-slip, textured, polypropylene white handle, Perfect Cutlery Packaging, NSF Certified, Made in USA (3 each per pack)



---

**CHEF KNIFE**  
**Dexter Russell**  
**Model S145-10SC-PCP (251642)**  
**Packed: 6 ea**

Sani-Safe® (12453)  
Chef's/Cook's Knife, 10", scalloped edge, stain-free, high-carbon steel, textured, polypropylene white handle, Perfect Cutlery Packaging, NSF Certified



---

**BREAD / SANDWICH KNIFE**  
**Dexter Russell**  
**Model S163-9SC-PCP (253352)**  
**Packed: 6 ea**

Sani-Safe® (13583) Sandwich Knife, 9", scalloped edge, offset, stain-free, high-carbon steel, textured, polypropylene white handle, Perfect Cutlery Packaging, NSF Certified, Made in USA



---

**KITCHEN SHEARS**  
**Dexter Russell**  
**Model SGS01B-CP**  
**Packed: 12 ea**

SofGrip™ (25353)  
Poultry/Kitchen Shears, stain-free, high-carbon steel, non-slip, stain-free, black/blue, soft rubber grip handle, Clam Packaging, NSF Certified



---

**CONVEYOR TOASTER**  
**Hatco**  
**Model TQ3-10-120-QS**

(QUICK SHIP MODEL) Toast-Qwik® Conveyor Toaster, countertop design, horizontal conveyor, manual controls, all bread types toaster, approximately 6-7 slices/min capacity, 2" opening height, includes stainless steel toast tray insert, cULus, UL EPH Classified



---

**MOBILE PLATE AND DISH DISPENSER**  
**Lakeside Manufacturing**  
**Model 6210**

Dish Dispenser, heated, cabinet style, enclosed base, mobile, (2) self-leveling dish dispensing tubes, 9-1/4" to 10-1/8" diameter dish size, stainless steel construction, 4" Lake-Glide® swivel casters (2) with brakes, 6' coiled cord with NEMA 5-15P, NSF, UL, Made in USA



---

**WALL GRID SHELVING ACCESSORIES****Metro**  
**Model 654SRC**

HD Super™ Spice Rack, 51-9/16"W x 4-3/8"D x 1-15/16"H, works with any 60"HD stainless workcenters with overhead or any 60"HD shelving with posts



---

**SQUEEZE BOTTLE**  
**TableCraft Products**  
**Model 16SV**  
**Packed: 12 ea**

Invertatop™ Squeeze Dispenser, 16 oz., ValveTop™ 53mm dual opening, dishwasher safe, polyethylene, clear, NSF (must be purchased in multiples of 12 each)



---

**PREPMATE® MULTISTATION****Metro**  
**Model MS1836-FGBR (276097)**

PrepMate® MultiStation, (1) 18" x 36" solid galvanized shelf & (1) Brite® zinc wire shelf, (4) chrome posts, removable 16/304 stainless steel rails, accommodates standard 18" cutting boards, 35-1/8" to 39-1/8" adjustable working height, (4) 5" casters (locking), NSF



---

**MIXING BOWL, METAL**  
**Vollrath**  
**Model 47933 (221210)**  
**Packed: 12 ea**

Mixing Bowl, 3 quart, stainless, 9" dia., 3-1/2" deep, measurements approximate, imported



---

**MIXING BOWL, METAL**  
**Vollrath**  
**Model 47938 (221960)**  
**Packed: 12 ea**

Mixing Bowl, 8 quart, stainless, 13-1/2" dia., 5" deep, measurements approximate, imported



---

**MIXING BOWL, METAL**  
**Vollrath**  
**Model 47943 (221970)**  
**Packed: 6 ea**

Mixing Bowl, 13 quart, stainless, 16" dia., 5-1/2" deep, measurements approximate, imported



---

**PLANETARY MIXER**  
**Globe**  
**Model SP10**

Planetary Mixer, 10 qt. (9 liter), bench model, 3-speed (fixed), #12 attachment hub, includes: stainless steel removable bowl guard with built-in ingredient chute, 10 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel wire whip & aluminum flat beater, safety interlocked bowl guard, bowl lift, gear-driven transmission, front-mounted touchpad controls with 60-minute digital timer & last batch recall, thermal overload protection, non-slip rubber feet, cast iron body, enamel gray finish, 1/3 HP, 115v/60/1-ph, 5.0 amps, cord, NEMA 5-15P, NSF, cETLus



---

**PLANETARY MIXER**  
**Globe**  
**Model SP20**

Planetary Mixer, bench model, 20 qt. (19 liter) capacity, 3-speed (fixed), #12 hub, includes: stainless steel removable bowl guard with built-in ingredient chute, 20 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel wire whip & aluminum flat beater, interlocked bowl lift, gear-driven motor, front-mounted touchpad controls with 60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, enamel gray finish, 1/2 HP, 115v/60/1-ph, 6.0 amps, cord, NEMA 5-15P, NSF, cETLus

